

MUNICIPAL SHELTER INSPECTION REPORT - DL-90

Rating: **Satisfactory365**

Purpose: **Inspection**

DATE/TOA: **4/15/24 2:45 pm**

**CATTARAUGUS SHELTER
 9491 HARVEY ROAD
 CATTARAUGUS NY 14719**

Inspector #: **074**

These are the findings of an inspection of your facility on the date(s) indicated above:

| | |
|---|----------------|
| 1. Shelter is structurally sound | Not Applicable |
| 2. Housing area and equipment is sanitized regularly | Not Applicable |
| 3. Repairs are done when necessary | Not Applicable |
| 4. Dogs are handled safely | Not Applicable |
| 5. Adequate space is available for all dogs | Not Applicable |
| 6. Light is sufficient for observation | Not Applicable |
| 7. Ventilation is adequate | Not Applicable |
| 8. Drainage is adequate | Not Applicable |
| 9. Temperature extremes are avoided | Not Applicable |
| 10. Clean food and water is available and in ample amount | Not Applicable |
| 11. Veterinary care is provided when necessary | Not Applicable |
| 12. Dogs are euthanized humanely, by authorized personnel | Not Applicable |
| 13. Complete intake and disposition records are maintained for all seized dogs | Not Applicable |
| 14. Dogs transferred for purposes of adoption in compliance with Article 7 | Not Applicable |
| 15. Redemption period is observed before adoption, euthanasia or transfer | Not Applicable |
| 16. Owners of identified dogs are properly notified | Not Applicable |
| 17. Redeemed dogs are licensed before release | Not Applicable |
| 18. Proper impoundment fees paid before dogs are released | Not Applicable |
| 19. Written contract or lease with municipality | Yes |

Town - City - Village Information for Inspection:

| TCV CODE | TCV NAME |
|-----------------|-----------------|
| 0424 | Town of Otto |

REMARKS:

No physical inspection performed. No new dogs have been seized since the previous inspection. The only reason for the previous unsatisfactory rating was due to a missing contract with the Town of Otto; there is now a written contract in place between DCO Dankert and the Town of Otto.

Interior space of kennels contain heat lamps available for use in cold weather, however DCO Dankert notes she brings dogs into a wire kennel inside her home during inclement weather.

Only the second kennel from right is approved for use for Article 7 dogs at this time. Interior surfaces and unfinished wood door frames of remaining kennels must be made impervious before they can be used for seized dogs.

REPRESENTATIVE PRESENT FOR INSPECTION: N/A

REVIEWED BY: Inspector #: 64

TITLE: N/A

REVIEWED DATE: 04/17/2024