NEW YORK STATE DEPARTMENT OF AGRICULTURE AND MARKETS
DIVISION OF ANIMAL INDUSTRY
10B AIRLINE DRIVE, ALBANY, NY 12235

MUNICIPAL SHELTER INSPECTION REPORT - DL-90

Rating: **Unsatisfactory30** Purpose: **Inspection**

DATE/TOA: **3/24/25 10:00 am**

CARL TUTTLE
7911 EAGLE VALLEY ROAD
SAVONA NY 14879

Inspector #: **075**

These are the findings of an inspection of your facility on the date(s) indicated above:

1. Shelter is structurally sound	No
Shelter not enclosed to prevent theft or regulate temperature.	
2. Housing area and equipment is sanitized regularly	No
Strong odor of urine in kennel area. Exposed wood/concrete in kennel area making it unable to disinfect/sanitize properly.	
3. Repairs are done when necessary	No
Exposed wood/concrete, cracks in concrete floors, kennels rusted/damaged making these surfaces unable to be properly disinfected.	
4. Dogs are handled safely	Yes
5. Adequate space is available for all dogs	Yes
6. Light is sufficient for observation	Yes
7. Ventilation is adequate	Yes
8. Drainage is adequate	Yes
9. Temperature extremes are avoided	No
Temperature unable to be maintained between 45-85 degrees F due to shelter not being enclosed.	
10. Clean food and water is available and in ample amount	No
Unopened bags of dog food stored on floor. Opened bags of dog food not stored in sealed containers.	
11. Veterinary care is provided when necessary	Yes
12. Dogs are euthanized humanely, by authorized personnel	Yes
13. Complete intake and disposition records are maintained for all seized dogs	No
Multiple records incomplete.	
14. Dogs transferred for purposes of adoption in compliance with Article 7	Yes
15. Redemption period is observed before adoption, euthanasia or transfer	Yes
16. Owners of identified dogs are properly notified	Yes
17. Redeemed dogs are licensed before release	No
Multiple redemption records missing license numbers.	
18. Proper impoundment fees paid before dogs are released	No
Multiple redemption records missing impoundment fees.	
19. Written contract or lease with municipality	Yes

Town - City - Village Information for Inspection:

TCV CODE	TCV NAME
4603	Town of Bath

REMARKS:

Kennel areas (wood, concrete, cracks in floor) unable to be completely cleaned and disinfected due to these materials being porous, unsealed. The temperature surrounding the animal must be conducive to its health and well-being. Dogs must be protected from temperature extremes. The ambient temperature should not fall below 45-50F for an animal not acclimated to lower temperatures, a breed that cannot tolerate lower temperatures without stress and discomfort (such as a short-haired breed), or a sick, aged, young, or infirm animal, except as approved by a licensed veterinarian.

Auxiliary ventilation, such as fans, blowers, or air conditioning must be added to keep the animal cool in temperatures 85F and up.

REPRESENTATIVE PRESENT FOR INSPECTION: **Carl Tuttle**

TITLE: **DCO**

REVIEWED BY: **Inspector #: 64**

REVIEWED DATE: **04/07/2025**