NEW YORK STATE DEPARTMENT OF AGRICULTURE AND MARKETS
DIVISION OF ANIMAL INDUSTRY
10B AIRLINE DRIVE, ALBANY, NY 12235

MUNICIPAL SHELTER INSPECTION REPORT - DL-90

Rating: **Unsatisfactory30** Purpose: **Inspection**

DATE/TOA: **7/8/25 11:40 am**

GRANGER MUNICIPAL SHELTER
10404 CO ROAD 15
FILLMORE NY 14735

Inspector #: **80**

These are the findings of an inspection of your facility on the date(s) indicated above:

1. Shelter is structurally sound	Yes
2. Housing area and equipment is sanitized regularly	No
Unfinished wood in primary enclosures is unable to be cleaned and disinfected properly.	
3. Repairs are done when necessary	No
Wood paneling on inside of door of third kennel has been chewed/scratched by dogs.	
4. Dogs are handled safely	Yes
5. Adequate space is available for all dogs	Yes
6. Light is sufficient for observation	Yes
7. Ventilation is adequate	Yes
8. Drainage is adequate	Yes
9. Temperature extremes are avoided	Yes
10. Clean food and water is available and in ample amount	Yes
11. Veterinary care is provided when necessary	Yes
12. Dogs are euthanized humanely, by authorized personnel	Yes
13. Complete intake and disposition records are maintained for all seized dogs	No
Missing seizure/disposition records from the Town of Allen for 2 German Shepherds seized and held at the shelter.	
14. Dogs transferred for purposes of adoption in compliance with Article 7	No
Unable to determine due to missing records.	
15. Redemption period is observed before adoption, euthanasia or transfer	No
Unable to determine due to missing records.	
16. Owners of identified dogs are properly notified	No
Unable to determine due to missing records.	
17. Redeemed dogs are licensed before release	No
Unable to determine due to missing records.	
18. Proper impoundment fees paid before dogs are released	No
Unable to determine due to missing records.	
19. Written contract or lease with municipality	Yes

Town - City - Village Information for Inspection:

TCV CODE	TCV NAME
0202	Town of Allen
0218	Town of Granger

REMARKS:

All enclosures housing seized dogs must be structurally sound and kept in good repair to keep the dog contained and to protect it from injury. There must be no rust, jagged edges or sharp points. All surfaces within the primary enclosure must be replaced or repaired when worn or damaged. Dirty, rough and absorbent materials, protect microorganisms and are difficult to clean, disinfect and deodorize. Repair or replace damaged sections to prevent dogs from ingesting any materials that may come loose from chewing and clawing the enclosure. Wood must be sealed if used in primary enclosure to allow for proper cleaning and sanitization.

Records must be completed and available at the time of inspection. This often is accomplished by communication between the municipal offices, the contracted shelter and the DCO. According to Article 7, Section 113.4, every dog control officer, peace officer, when acting pursuant to his special duties or police officer shall promptly make and maintain a complete record of any seizure and subsequent disposition of any dog.

REPRESENTATIVE PRESENT FOR INSPECTION: **Keith Hennard**
TITLE: **DCO**

REVIEWED BY: **Inspector #: 64**
REVIEWED DATE: **07/09/2025**