

MUNICIPAL SHELTER INSPECTION REPORT - DL-90

Rating: **Unsatisfactory30**

Purpose: **Inspection**

DATE/TOA: **4/4/12 11:45 am**

**EDEN VETERINARY CLINIC, PLLC
 8217 N MAIN STREET
 EDEN NY 14057**

Inspector #: **19**

These are the findings of an inspection of your facility on the date(s) indicated above:

- | | |
|---|----------------|
| 1. Shelter is structurally sound | Yes |
| 2. Housing area and equipment is sanitized regularly
<i>Roccol-D</i> | Yes |
| 3. Repairs are done when necessary | Yes |
| 4. Dogs are handled safely | Yes |
| 5. Adequate space is available for all dogs | Yes |
| 6. Light is sufficient for observation | Yes |
| 7. Ventilation is adequate | Yes |
| 8. Drainage is adequate | Yes |
| 9. Temperature extremes are avoided
<i>Furnace</i> | Yes |
| 10. Clean food and water is available and in ample amount | Yes |
| 11. Veterinary care is provided when necessary | Yes |
| 12. Dogs are euthanized humanely, by authorized personnel | Yes |
| 13. Complete intake and disposition records are maintained for all seized dogs | Yes |
| 14. Dogs transferred for purposes of adoption in compliance with Article 7
<i>Handled by DCO</i> | Not Applicable |
| 15. Redemption period is observed before adoption, euthanasia or transfer | Yes |
| 16. Owners of identified dogs are properly notified
<i>Handled by DCO</i> | Not Applicable |
| 17. Redeemed dogs are licensed before release
<i>Paperwork is approved by town clerk's office and given by owner to shelter for release</i> | Yes |
| 18. Proper impoundment fees paid before dogs are released
<i>Handled by town clerk</i> | Not Applicable |
| 19. Written contract or lease with municipality
<i>No lease in effect; Lease agreement needs to be between current owners of Eden Veterinary Clinic PLLC and town supervisor.</i> | No |

Town - City - Village Information for Inspection:

TCV CODE	TCV NAME
1411	Town of Eden

REMARKS:

REPRESENTATIVE PRESENT FOR INSPECTION: **Luiz Tarrido**
TITLE: **DVM**

REVIEWED BY: **Inspector #: 14**
REVIEWED DATE: **04/13/2012**