

MUNICIPAL SHELTER INSPECTION REPORT - DL-90Rating: **Unsatisfactory30**Purpose: **Complaint Inspection**DATE/TOA: **7/16/26 12:00 pm****Northwind Kennels
402 Old Post Rd, Route 22
Bedford NY 10506**Inspector #: **61**
Inspector #: **88**
Inspector #: **83**

These are the findings of an inspection of your facility on the date(s) indicated above:

- | | |
|---|-----|
| 1. Shelter is structurally sound | No |
| <i>See remarks in the comment section of this report.</i> | |
| 2. Housing area and equipment is sanitized regularly | No |
| <i>See remarks in the comment section of this report.</i> | |
| 3. Repairs are done when necessary | No |
| <i>See remarks in the comment section of this report.</i> | |
| 4. Dogs are handled safely | No |
| <i>See remarks in the comment section of this report.</i> | |
| 5. Adequate space is available for all dogs | Yes |
| 6. Light is sufficient for observation | Yes |
| 7. Ventilation is adequate | Yes |
| 8. Drainage is adequate | No |
| <i>See remarks in the comment section of this report.</i> | |
| 9. Temperature extremes are avoided | Yes |
| 10. Clean food and water is available and in ample amount | Yes |
| 11. Veterinary care is provided when necessary | Yes |
| 12. Dogs are euthanized humanely, by authorized personnel | Yes |
| 13. Complete intake and disposition records are maintained for all seized dogs | Yes |
| 14. Dogs transferred for purposes of adoption in compliance with Article 7 | Yes |
| 15. Redemption period is observed before adoption, euthanasia or transfer | Yes |
| 16. Owners of identified dogs are properly notified | Yes |
| 17. Redeemed dogs are licensed before release | Yes |
| 18. Proper impoundment fees paid before dogs are released | Yes |
| 19. Written contract or lease with municipality | Yes |

Town - City - Village Information for Inspection:

TCV CODE	TCV NAME
5508	Town of Mount Pleasant

REMARKS:

This inspection report was initiated in response to a complaint received from the Westchester County Health Department. At the time of the inspection, the septic system was not functioning properly. As a result, many of the indoor and exterior runs were flooded with standing water, and waste material was pooling in multiple areas. The conditions prevented the dogs from lying down on a clean, dry surface. Several dogs exhibited matted coats that were wet on the underside, consistent with prolong exposure to the saturated conditions. Additional, multiple dogs were observed with wet, reddened, and irritated feet. Several kennel doors were secured using leashes that were observed to be broken or damaged. A strong foul odor was detected on the outside of the building. There was one aggressive dog left unattended in the area that contained the exposed septic tank.

REPRESENTATIVE PRESENT FOR INSPECTION:James Joseph

TITLE:Office Manager

REVIEWED BY:Inspector #: 67

REVIEWED DATE:07/23/2026