

MUNICIPAL SHELTER INSPECTION REPORT - DL-90

Rating: **Satisfactory365**

Purpose: **Inspection**

DATE/TOA: **10/10/12 2:00 pm**

**MONTGOMERY COUNTY SPCA
 1007 RT 5S
 AMSTERDAM NY 12010**

Inspector #: **54**

Inspector #: **50**

These are the findings of an inspection of your facility on the date(s) indicated above:

- | | |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| 1. Shelter is structurally sound | Yes |
| 2. Housing area and equipment is sanitized regularly | Yes |
| 3. Repairs are done when necessary | Yes |
| 4. Dogs are handled safely | Yes |
| 5. Adequate space is available for all dogs | Yes |
| 6. Light is sufficient for observation | Yes |
| 7. Ventilation is adequate | Yes |
| 8. Drainage is adequate | Yes |
| 9. Temperature extremes are avoided | Yes |
| 10. Clean food and water is available and in ample amount | Yes |
| 11. Veterinary care is provided when necessary | Yes |
| 12. Dogs are euthanized humanely, by authorized personnel | Yes |
| 13. Complete intake and disposition records are maintained for all seized dogs | Yes |
| 14. Dogs transferred for purposes of adoption in compliance with Article 7 | No |
| <i>One City of Schenectady dog seized 1/3/12 transferred to Hernas Vet Clinic 1/26/12. Records were not completed as this being an adoption. This was done under the previous shelter manager.</i> | |
| 15. Redemption period is observed before adoption, euthanasia or transfer | Yes |
| 16. Owners of identified dogs are properly notified | Yes |
| 17. Redeemed dogs are licensed before release | Yes |
| 18. Proper impoundment fees paid before dogs are released | Yes |
| 19. Written contract or lease with municipality | Yes |

Town - City - Village Information for Inspection:

TCV CODE	TCV NAME
2704	Town of Florida
2701	Town of Amsterdam
2711	City of Amsterdam

REMARKS:

REPRESENTATIVE PRESENT FOR INSPECTION: **Tara Johnson**
TITLE: **A.C.T.**

REVIEWED BY: **Inspector #: 50**
REVIEWED DATE: **10/16/2012**