

## MUNICIPAL SHELTER INSPECTION REPORT - DL-90

Rating: **Satisfactory91**Purpose: **Inspection**DATE/TOA: **6/14/10 9:30 am**

**WAYLAND MUNICIPAL SHELTER**  
**1118 STATE RTE. 21**  
**WAYLAND NY 14572**

Inspector #: **809**


---

These are the findings of an inspection of your facility on the date(s) indicated above:

---

### A. Standards of Care

- |   |     |
|---|-----|
| <b>1. Shelter is structurally sound</b>   | Yes |
| <b>2. Housing area and equipment is sanitized regularly</b>   | Yes |
| <b>3. Repairs are done when necessary</b>   | No  |
| <i>There are still cages that are unusable. The individual kennels are very difficult to clean properly. The drain was filled with concrete so there is no inside drainage. A holding tank for the dog waste was installed at great cost. This is OK, but drainage into the tank will be difficult in the winter since the water is likely to freeze without an indoor drain.</i> |     |
| <b>4. Dogs are handled safely</b>   | Yes |
| <b>5. Adequate space is available for all dogs</b>  | Yes |
| <b>6. Light is sufficient for observation</b>   | Yes |
| <b>7. Ventilation is adequate</b>   | No  |
| <i>Ventilation is poor. There is only one tiny box fan and the kennel has a "doggy smell". An exhaust fan would be beneficial to help move air through the kennel.</i>  |     |
| <b>8. Temperature extremes are avoided</b>  | Yes |
| <b>9. Clean food and water is available and in ample amount</b>   | Yes |
| <b>10. Veterinary care is provided when necessary</b>   | Yes |
| <b>11. Dogs are euthanized humanely, by authorized personnel</b>  | Yes |
| <b>12. Outdoor shelter complies with Article 26</b>   | Yes |

### B. Records

- |  |                |
|--|----------------|
| <b>1. DL-18 Seizure Report is on file for all impounded dogs</b>   | Yes            |
| <b>2. Holding period is observed before adoption or euthanasia</b> | Yes            |
| <b>3. All dogs are licensed before release</b>                     | Yes            |
| <b>4. Impound fee paid before dog is released</b>                  | Yes            |
| <b>5. Written contract or lease with municipality</b>              | Yes            |
| <b>6. Bond is current, updates sent to Ag &amp; Mkts</b>           | Not Applicable |

---

**Town - City - Village Information for Inspection:**

---

<b>TCV CODE</b>	<b>TCV NAME</b>
4609	Town of Cohocton
4628	Town of Wayland

**REMARKS:**

Although the holding tank for the animal waste was installed, there still remain some deficiencies with respect to ease of cleaning the kennel and ventilation. These are serious enough to justify a reinspection in three months to ensure that the deficiencies are adequately addressed. The shelter will receive a satisfactory rating today since the major deficiencies detailed in the last inspection report were addressed. More work needs to be done to ensure the physical integrity of the shelter and will be rated as unsatisfactory at the next inspection if the mentioned deficiencies are not resolved.

REPRESENTATIVE PRESENT FOR INSPECTION: **Deb Matthews**  
TITLE: **shelter manager**

REVIEWED BY:  
REVIEWED DATE: **06/15/2010**