

MUNICIPAL SHELTER INSPECTION REPORT - DL-90

Rating: **Unsatisfactory30**

Purpose: **Inspection**

DATE/TOA: **9/25/13 11:30 am**

**COEYMANS SHELTER
 28 SOUTH MAIN STREET
 COEYMANS NY 12045**

Inspector #: **58**

These are the findings of an inspection of your facility on the date(s) indicated above:

- | | |
|---|----------------|
| 1. Shelter is structurally sound | Yes |
| 2. Housing area and equipment is sanitized regularly | Yes |
| 3. Repairs are done when necessary | Yes |
| 4. Dogs are handled safely | Yes |
| 5. Adequate space is available for all dogs | Yes |
| 6. Light is sufficient for observation | Yes |
| 7. Ventilation is adequate | No |
| <i>Ventilation is inadequate. See Comments</i> | |
| 8. Drainage is adequate | Yes |
| 9. Temperature extremes are avoided | Yes |
| 10. Clean food and water is available and in ample amount | Yes |
| 11. Veterinary care is provided when necessary | Yes |
| <i>New Baltimore Animal Hospital</i> | |
| 12. Dogs are euthanized humanely, by authorized personnel | Yes |
| 13. Complete intake and disposition records are maintained for all seized dogs | Yes |
| 14. Dogs transferred for purposes of adoption in compliance with Article 7 | Yes |
| 15. Redemption period is observed before adoption, euthanasia or transfer | Yes |
| 16. Owners of identified dogs are properly notified | Yes |
| 17. Redeemed dogs are licensed before release | Yes |
| 18. Proper impoundment fees paid before dogs are released | Yes |
| 19. Written contract or lease with municipality | Not Applicable |
| <i>Shelter is run by the Town of Coeymans</i> | |

Town - City - Village Information for Inspection:

TCV CODE	TCV NAME
0103	Town of Coeymans

REMARKS:

Due to the storage of numerous motorized vehicles (cars, motorcycles, ATVs) in the garage area there was a strong odor of motor oil and gasoline. Ventilation must be improved to allow for adequate air exchange. DCO Shear had informed me that in the past he was able to open up windows to air out the building. While this practice works short term, there must be a permanent solution to allow for proper ventilation/air exchange during inclement weather.

There are no animals being sheltered at this time.

REPRESENTATIVE PRESENT FOR INSPECTION: Jim Shear
TITLE: DCO

REVIEWED BY: Inspector #: 50
REVIEWED DATE: 09/25/2013