

MUNICIPAL SHELTER INSPECTION REPORT - DL-90

Rating: **Unsatisfactory30**Purpose: **Inspection**DATE/TOA: **11/14/13 12:30 pm**

**HORNBY SHELTER
 5004 CTY. RTE. 42
 Beaver Dams NY 14812**

Inspector #: **809**

These are the findings of an inspection of your facility on the date(s) indicated above:

- | | |
|--|----------------|
| 1. Shelter is structurally sound | Yes |
| 2. Housing area and equipment is sanitized regularly | No |
| <i>There were empty food/water dishes in one kennel. Mouse droppings were evident in the food bowl and ice was evident in the water bucket. One of the outdoor runs has dried feces in it. The inside of the kennel was dirty and dusty.</i> | |
| <i>No running water is available adjacent to the kennel. Evidently the water pipes have been damaged due to freezing in the past. Water is carried in buckets to clean the kennels at this time.</i> | |
| 3. Repairs are done when necessary | Yes |
| 4. Dogs are handled safely | Yes |
| 5. Adequate space is available for all dogs | Yes |
| 6. Light is sufficient for observation | Yes |
| 7. Ventilation is adequate | Yes |
| 8. Drainage is adequate | Yes |
| 9. Temperature extremes are avoided | Yes |
| 10. Clean food and water is available and in ample amount | Not Applicable |
| 11. Veterinary care is provided when necessary | Not Applicable |
| 12. Dogs are euthanized humanely, by authorized personnel | Not Applicable |
| 13. Complete intake and disposition records are maintained for all seized dogs | Not Applicable |
| <i>There was no paperwork available at the time of the unannounced inspection.</i> | |
| 14. Dogs transferred for purposes of adoption in compliance with Article 7 | Not Applicable |
| 15. Redemption period is observed before adoption, euthanasia or transfer | Not Applicable |
| 16. Owners of identified dogs are properly notified | Not Applicable |
| 17. Redeemed dogs are licensed before release | Not Applicable |
| 18. Proper impoundment fees paid before dogs are released | Not Applicable |
| 19. Written contract or lease with municipality | Not Applicable |

Town - City - Village Information for Inspection:

TCV CODE	TCV NAME
4616	Town of Hornby

REMARKS:

An unannounced inspection of the shelter was done. The kennel was dirty and dusty inside. There were a food and a water dish in one kennel. Both had mouse droppings in them. The outdoor run for the same kennel was smeared with dried fecal material. The dog doors to the outdoor kennels are not "flush" with the opening which will allow cold air in during the winter months.

It is recommended that the kennel be maintained so that it is clean and remains structurally sound. Running water should be available so a hose can be used to clean the kennels and runs.

REPRESENTATIVE PRESENT FOR INSPECTION: n/a
TITLE: n/a

REVIEWED BY:
REVIEWED DATE: 11/21/2013