

MUNICIPAL SHELTER INSPECTION REPORT - DL-90Rating: **Satisfactory**⁹¹Purpose: **Inspection**DATE/TOA: **9/5/14 11:45 am**CITY OF SCHENECTADY DOG SHELTER
WATER POLLUTION CONTROL PLANT
300 ANTHONY STREET
SCHENECTADY NY 12308Inspector #: **58**

 These are the findings of an inspection of your facility on the date(s) indicated above:

- | | |
|---|----------------|
| 1. Shelter is structurally sound | Yes |
| 2. Housing area and equipment is sanitized regularly | Yes |
| 3. Repairs are done when necessary | Yes |
| 4. Dogs are handled safely | Yes |
| 5. Adequate space is available for all dogs | Yes |
| 6. Light is sufficient for observation | Yes |
| 7. Ventilation is adequate | Yes |
| 8. Drainage is adequate | Yes |
| 9. Temperature extremes are avoided | Yes |
| 10. Clean food and water is available and in ample amount | Yes |
| 11. Veterinary care is provided when necessary | Yes |
| <i>Dr. Hernas and Latham Animal Emergency Clinic</i> | |
| 12. Dogs are euthanized humanely, by authorized personnel | Yes |
| 13. Complete intake and disposition records are maintained for all seized dogs | Yes |
| 14. Dogs transferred for purposes of adoption in compliance with Article 7 | Yes |
| <i>Handled by ACOs</i> | |
| 15. Redemption period is observed before adoption, euthanasia or transfer | Yes |
| 16. Owners of identified dogs are properly notified | Not Applicable |
| <i>Owner notification of identified dogs is handled by ACOs</i> | |
| 17. Redeemed dogs are licensed before release | Yes |
| <i>Dogs are licensed by the municipal clerks</i> | |
| 18. Proper impoundment fees paid before dogs are released | Yes |
| <i>Fees are collected by the municipal clerks</i> | |
| 19. Written contract or lease with municipality | Not Applicable |
| <i>Municipality owns and operates shelter</i> | |

Town - City - Village Information for Inspection:

TCV CODE	TCV NAME
4206	City of Schenectady

REMARKS:

Reviewed seizure and disposition reports for August 2014

REPRESENTATIVE PRESENT FOR INSPECTION: **Cindy Bialobzeski**
TITLE: **ACO**

REVIEWED BY: **Inspector #: 50**
REVIEWED DATE: **09/09/2014**