

## MUNICIPAL SHELTER INSPECTION REPORT - DL-90

Rating: **Satisfactory365**Purpose: **Inspection**DATE/TOA: **9/30/14 5:15 pm**

**TROUPSBURG MUNICIPAL SHELTER**  
**3189 CTY. RTE. 83**  
**TROUPSBURG NY 14885**

Inspector #: **809**


---

These are the findings of an inspection of your facility on the date(s) indicated above:

---

- |                                                                                                                                                                                    |                |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| <b>1. Shelter is structurally sound</b>                                                                                                                                            | Yes            |
| <b>2. Housing area and equipment is sanitized regularly</b>                                                                                                                        | Yes            |
| <b>3. Repairs are done when necessary</b>                                                                                                                                          | Yes            |
| <i>It is recommended that the wooden "dog doors" be replaced with metal ones. The wooden doors have been chewed and the sharp edges may present a possible danger to the dogs.</i> |                |
| <b>4. Dogs are handled safely</b>                                                                                                                                                  | Yes            |
| <b>5. Adequate space is available for all dogs</b>                                                                                                                                 | Yes            |
| <b>6. Light is sufficient for observation</b>                                                                                                                                      | Yes            |
| <b>7. Ventilation is adequate</b>                                                                                                                                                  | Yes            |
| <b>8. Drainage is adequate</b>                                                                                                                                                     | Yes            |
| <b>9. Temperature extremes are avoided</b>                                                                                                                                         | Yes            |
| <b>10. Clean food and water is available and in ample amount</b>                                                                                                                   | Yes            |
| <b>11. Veterinary care is provided when necessary</b>                                                                                                                              | Not Applicable |
| <b>12. Dogs are euthanized humanely, by authorized personnel</b>                                                                                                                   | Not Applicable |
| <b>13. Complete intake and disposition records are maintained for all seized dogs</b>                                                                                              | Yes            |
| <b>14. Dogs transferred for purposes of adoption in compliance with Article 7</b>                                                                                                  | Yes            |
| <b>15. Redemption period is observed before adoption, euthanasia or transfer</b>                                                                                                   | Yes            |
| <b>16. Owners of identified dogs are properly notified</b>                                                                                                                         | Not Applicable |
| <b>17. Redeemed dogs are licensed before release</b>                                                                                                                               | Yes            |
| <b>18. Proper impoundment fees paid before dogs are released</b>                                                                                                                   | Yes            |
| <b>19. Written contract or lease with municipality</b>                                                                                                                             | Not Applicable |

---

Town - City - Village Information for Inspection:

---

<u>TCV CODE</u>	<u>TCV NAME</u>
4625	Town of Troupsburg

## REMARKS:

The shelter is in good condition. It is recommended that the "dog doors" be replaced with metal guillotine like doors. They are currently made of wood and dogs have chewed them so splintered wood is exposed.

The DCO/shelter manager would like to have an outdoor area around the kennel fenced in with solid panels so the dogs can get more exercise. This will help to keep people from putting their hands through the outdoor runs to try to pet dogs or as in some previous instances, owners breaking into the outdoor kennel to take their dogs.

REPRESENTATIVE PRESENT FOR INSPECTION: **Bridget Calkins**

REVIEWED BY:

TITLE: **shelter manager**REVIEWED DATE: **10/02/2014**