

MUNICIPAL SHELTER INSPECTION REPORT - DL-90

Rating: **Satisfactory365**Purpose: **Inspection**DATE/TOA: **12/26/14 1:30 pm**

**ANGELICA MUNICIPAL SHELTER
 79 CENTER STREET / PO BOX 338
 ANGELICA NY 14709**

Inspector #: **68**

These are the findings of an inspection of your facility on the date(s) indicated above:

- | | |
|--|----------------|
| 1. Shelter is structurally sound | Yes |
| 2. Housing area and equipment is sanitized regularly | Yes |
| 3. Repairs are done when necessary | Yes |
| <i>Exterior roof has had new metal roofing place after water damage from rain.</i> | |
| <i>DCO notified that the interior ceiling on the first kennel should be replaced as well. Pieces of the ceiling are broken and starting to fall into the kennel.</i> | |
| 4. Dogs are handled safely | Yes |
| 5. Adequate space is available for all dogs | Yes |
| 6. Light is sufficient for observation | Yes |
| 7. Ventilation is adequate | Yes |
| 8. Drainage is adequate | Yes |
| 9. Temperature extremes are avoided | Yes |
| <i>Electric heater</i> | |
| 10. Clean food and water is available and in ample amount | Yes |
| 11. Veterinary care is provided when necessary | Yes |
| <i>Dawn Bennett, DVM</i> | |
| 12. Dogs are euthanized humanely, by authorized personnel | Yes |
| 13. Complete intake and disposition records are maintained for all seized dogs | Yes |
| 14. Dogs transferred for purposes of adoption in compliance with Article 7 | Yes |
| 15. Redemption period is observed before adoption, euthanasia or transfer | Yes |
| 16. Owners of identified dogs are properly notified | Yes |
| 17. Redeemed dogs are licensed before release | Yes |
| 18. Proper impoundment fees paid before dogs are released | Yes |
| 19. Written contract or lease with municipality | Not Applicable |

Town - City - Village Information for Inspection:

TCV CODE	TCV NAME
0207	Town of Angelica

REMARKS:

REPRESENTATIVE PRESENT FOR INSPECTION: **Rodney Manning**
TITLE: **DCO Town of Angelica**

REVIEWED BY: **Inspector #: 14**
REVIEWED DATE: **12/31/2014**