

MUNICIPAL SHELTER INSPECTION REPORT - DL-90

Rating: **Satisfactory365**Purpose: **Inspection**DATE/TOA: **1/6/15 1:40 pm**

**GREAT VALLEY SHELTER
 PO BOX 427/4808 STATE RT 219
 GREAT VALLEY NY 14741**

Inspector #: **68**

These are the findings of an inspection of your facility on the date(s) indicated above:

- | | |
|--|-----|
| 1. Shelter is structurally sound | Yes |
| 2. Housing area and equipment is sanitized regularly | Yes |
| 3. Repairs are done when necessary | Yes |
| <i>The insulation that has been chewed by a loose dog should be patched or covered and the rest of the walls enclosed.</i> | |
| <i>The shingles on the outside of the roof look old and shredding and should be replaced.</i> | |
| 4. Dogs are handled safely | Yes |
| 5. Adequate space is available for all dogs | Yes |
| 6. Light is sufficient for observation | Yes |
| 7. Ventilation is adequate | Yes |
| <i>Fan to the outside</i> | |
| 8. Drainage is adequate | Yes |
| <i>Floor drains</i> | |
| 9. Temperature extremes are avoided | Yes |
| <i>Very nice heater</i> | |
| 10. Clean food and water is available and in ample amount | Yes |
| 11. Veterinary care is provided when necessary | Yes |
| 12. Dogs are euthanized humanely, by authorized personnel | Yes |
| 13. Complete intake and disposition records are maintained for all seized dogs | Yes |
| 14. Dogs transferred for purposes of adoption in compliance with Article 7 | Yes |
| 15. Redemption period is observed before adoption, euthanasia or transfer | Yes |
| 16. Owners of identified dogs are properly notified | Yes |
| 17. Redeemed dogs are licensed before release | Yes |
| 18. Proper impoundment fees paid before dogs are released | Yes |
| 19. Written contract or lease with municipality | Yes |
| <i>Humphrey and Town of Salamanca, no expiration dates</i> | |

Town - City - Village Information for Inspection:

TCV CODE	TCV NAME
0412	Town of Great Valley
0414	Town of Humphrey
0430	Town of Salamanca

REMARKS:

When shelter was previously inspected on 12/12/14 with David Phillips and Emily Bailey - there were multiple piles of food left on the floor of the kennels, and shreadings of styrofoam insulation on the floor. The shelter should be cleaned soon after the dogs have been removed.

REPRESENTATIVE PRESENT FOR INSPECTION: Eric Butler
TITLE: DCO

REVIEWED BY: Inspector #: 14
REVIEWED DATE: 01/07/2015