

MUNICIPAL SHELTER INSPECTION REPORT - DL-90

Rating: **Satisfactory365**

Purpose: **Inspection**

DATE/TOA: **4/7/15 12:10 am**

**MICHAEL LUDWIG / ISLAND PET LODGE
 2120 ALVIN RD
 GRAND ISLAND NY 14072**

Inspector #: **56**

These are the findings of an inspection of your facility on the date(s) indicated above:

- | | |
|---|-----|
| 1. Shelter is structurally sound | Yes |
| 2. Housing area and equipment is sanitized regularly | Yes |
| 3. Repairs are done when necessary | Yes |
| 4. Dogs are handled safely | Yes |
| 5. Adequate space is available for all dogs | Yes |
| 6. Light is sufficient for observation | Yes |
| 7. Ventilation is adequate | Yes |
| 8. Drainage is adequate | Yes |
| 9. Temperature extremes are avoided | Yes |
| 10. Clean food and water is available and in ample amount | Yes |
| 11. Veterinary care is provided when necessary | Yes |
| <i>Grand Island Animal Hospital or SPCA Serving Erie County would provide services.</i> | |
| 12. Dogs are euthanized humanely, by authorized personnel | Yes |
| <i>The entities noted above would provide this service.</i> | |
| 13. Complete intake and disposition records are maintained for all seized dogs | Yes |
| 14. Dogs transferred for purposes of adoption in compliance with Article 7 | Yes |
| <i>Unredeemed dogs are transferred to the SPCA Serving Erie County.</i> | |
| 15. Redemption period is observed before adoption, euthanasia or transfer | Yes |
| 16. Owners of identified dogs are properly notified | Yes |
| 17. Redeemed dogs are licensed before release | Yes |
| <i>Licensing is handled by the Town Clerk.</i> | |
| 18. Proper impoundment fees paid before dogs are released | Yes |
| <i>Fees are collected by the Town Clerk.</i> | |
| 19. Written contract or lease with municipality | Yes |

Town - City - Village Information for Inspection:

TCV CODE	TCV NAME
1414	Town of Grand Island

REMARKS:

REPRESENTATIVE PRESENT FOR INSPECTION: **Kim Ludwig**
TITLE: **Vice President**

REVIEWED BY: **Inspector #: 14**
REVIEWED DATE: **04/10/2015**