

## MUNICIPAL SHELTER INSPECTION REPORT - DL-90

Rating: **Unsatisfactory30**

Purpose: **Inspection**

DATE/TOA: **11/14/16 2:00 pm**

**TOWN OF HAMLIN DOG SHELTER  
 80 RAILROAD AVE  
 HAMLIN NY 14464**

Inspector #: **56**

---

These are the findings of an inspection of your facility on the date(s) indicated above:

---

- |  |     |
|--|-----|
| <b>1. Shelter is structurally sound</b>  | Yes |
| <b>2. Housing area and equipment is sanitized regularly</b>  | Yes |
| <b>3. Repairs are done when necessary</b>  | Yes |
| <b>4. Dogs are handled safely</b>  | Yes |
| <b>5. Adequate space is available for all dogs</b>   | Yes |
| <b>6. Light is sufficient for observation</b>  | Yes |
| <b>7. Ventilation is adequate</b>  | No  |
| <i>Noticeable ammonia fumes were present in the upper kennel area.</i>   |     |
| <b>8. Drainage is adequate</b>   | No  |
| <i>An irritating odor of ammonia was present in the upper level of the shelter despite the kennels being clean and free from excrement. Since almost all of the kennels are made of impervious materials, it was determined that the source of the odor was from the drains. SEE "REMARKS"</i> |     |
| <b>9. Temperature extremes are avoided</b>   | Yes |
| <b>10. Clean food and water is available and in ample amount</b>   | Yes |
| <b>11. Veterinary care is provided when necessary</b>  | Yes |
| <b>12. Dogs are euthanized humanely, by authorized personnel</b>   | Yes |
| <b>13. Complete intake and disposition records are maintained for all seized dogs</b>  | Yes |
| <b>14. Dogs transferred for purposes of adoption in compliance with Article 7</b>  | Yes |
| <b>15. Redemption period is observed before adoption, euthanasia or transfer</b>   | Yes |
| <b>16. Owners of identified dogs are properly notified</b>   | Yes |
| <b>17. Redeemed dogs are licensed before release</b>   | Yes |
| <b>18. Proper impoundment fees paid before dogs are released</b>   | Yes |
| <b>19. Written contract or lease with municipality</b>   | Yes |

---

**Town - City - Village Information for Inspection:**

---

<b>TCV CODE</b>	<b>TCV NAME</b>
2603	Town of Clarkson
2606	Town of Hamlin
2611	Town of Parma

**REMARKS:**

In a phone call with DCO Dave Maynard he agreed the odor was likely from the drains as they do not angle down properly and waste water collects in pools. A request was made and approved by the town to correct the problem within the next few weeks, Plans are for more thorough flushing of the drains and application of an odor neutralizing product until repairs are made. Re-inspection of the shelter will be conducted in approximately 30 days.

REPRESENTATIVE PRESENT FOR INSPECTION: **Caroline Thompson**  
TITLE: **Assistant DCO**

REVIEWED BY: **Inspector #: 14**  
REVIEWED DATE: **11/17/2016**