NEW YORK STATE DEPARTMENT OF AGRICULTURE AND MARKETS DIVISION OF ANIMAL INDUSTRY 10B AIRLINE DRIVE, ALBANY, NY 12235

MUNICIPAL SHELTER INSPECTION REPORT - DL-90

Rating: Satisfactory365 Purpose: Inspection

DATE/TOA: 3/30/17 2:44 pm

HORNELL HUMANE SOCIETY 7649 INDUSTRIAL PK RD HORNELL NY 14843 Inspector #: 14

These are the findings of an inspection of your facility on the date(s) indicated above:

1. Shelter is structurally sound	Not Applicable
2. Housing area and equipment is sanitized regularly	Not Applicable
3. Repairs are done when necessary	Not Applicable
4. Dogs are handled safely	Not Applicable
5. Adequate space is available for all dogs	Not Applicable
6. Light is sufficient for observation	Not Applicable
7. Ventilation is adequate	Not Applicable
8. Drainage is adequate	Not Applicable
9. Temperature extremes are avoided	Not Applicable
10. Clean food and water is available and in ample amount	Not Applicable
11. Veterinary care is provided when necessary	Not Applicable
12. Dogs are euthanized humanely, by authorized personnel	Not Applicable
13. Complete intake and disposition records are maintained for all seized dogs	Not Applicable
14. Dogs transferred for purposes of adoption in compliance with Article 7	Not Applicable
15. Redemption period is observed before adoption, euthanasia or transfer	Not Applicable
16. Owners of identified dogs are properly notified	Not Applicable
17. Redeemed dogs are licensed before release	Not Applicable
18. Proper impoundment fees paid before dogs are released	Not Applicable
19. Written contract or lease with municipality	Yes

DL-90 Page 2 of 2

Town - City - Village Information for Inspection:

TCV CODE	TCV NAME
0207	Town of Angelica
0209	Town of Birdsall
4611	Town of Dansville
0219	Town of Grove
4617	Town of Hornellsville
0211	Town of Burns
0227	Town of West Almond
4634	City of Hornell

REMARKS:

TITLE: n/a

Inspection report completed to document that the non- current contracts for the Towns of Angelica, Burns, Dansville and Grove that were discovered at the January 17, 2017 inspection have now been updated and are current. This was the only deficiency found at the January 17, 2017 inspection

REPRESENTATIVE PRESENT FOR INSPECTION:

n/a

REVIEWED BY: Inspector #: 833

03/31/2017

REVIEWED DATE: