NEW YORK STATE DEPARTMENT OF AGRICULTURE AND MARKETS
DIVISION OF ANIMAL INDUSTRY
10B AIRLINE DRIVE, ALBANY, NY 12235

MUNICIPAL SHELTER INSPECTION REPORT - DL-90

Rating: **Unsatisfactory30** Purpose: **Inspection**

DATE/TOA: **12/22/17 11:00 am**

TOWN OF JOHNSTOWN ANIMAL SHELTER
352 COUNTY HWY 122
MAPLE AVE
GLOVERSVILLE NY 12078

Inspector #: **50**

These are the findings of an inspection of your facility on the date(s) indicated above:

1. Shelter is structurally sound	Yes
2. Housing area and equipment is sanitized regularly	No
Last inside run used appears not cleaned and disinfected since dog left facility. Stains, hair and light filth inside kennel. Chipped and rusted parts on inside doors cannot be disinfected properly.	
3. Repairs are done when necessary	No
Paint on end inside kennel door is chipped and rusty. Tape used to cover sharp points on newly added inside kennel door enhancements has been partially torn off by dogs. These sharp edges are accessible by dogs . Chewed wood on one inside door frame.	
4. Dogs are handled safely	Yes
5. Adequate space is available for all dogs	Yes
6. Light is sufficient for observation	Yes
7. Ventilation is adequate	Yes
8. Drainage is adequate	Yes
9. Temperature extremes are avoided	Yes
10. Clean food and water is available and in ample amount	Yes
11. Veterinary care is provided when necessary	Yes
12. Dogs are euthanized humanely, by authorized personnel	Yes
13. Complete intake and disposition records are maintained for all seized dogs	Not Applicable
14. Dogs transferred for purposes of adoption in compliance with Article 7	Not Applicable
15. Redemption period is observed before adoption, euthanasia or transfer	Not Applicable
16. Owners of identified dogs are properly notified	Not Applicable
17. Redeemed dogs are licensed before release	Not Applicable
18. Proper impoundment fees paid before dogs are released	Not Applicable
19. Written contract or lease with municipality	Yes

Town - City - Village Information for Inspection:

TCV CODE	TCV NAME
1705	Town of Johnstown

REMARKS:

N/A Handled by DCO. New outdoor runs have been installed since previous inspection on 12/9/2016. Have no dog entry/exit doors yet. Laundry bleach product on premises has no stated concentration of active ingredient, sodium hypochlorite, and cannot be used as a disinfectant for parvo virus.

REPRESENTATIVE PRESENT FOR INSPECTION: **Nancy Hart**
TITLE: **DCO & Town Clerk**

REVIEWED BY: **Inspector #: 833**
REVIEWED DATE: **12/27/2017**