NEW YORK STATE DEPARTMENT OF AGRICULTURE AND MARKETS
DIVISION OF ANIMAL INDUSTRY
10B AIRLINE DRIVE, ALBANY, NY 12235

MUNICIPAL SHELTER INSPECTION REPORT - DL-90

Rating: **Unsatisfactory30** Purpose: **Inspection**

DATE/TOA: **12/29/10 2:15 pm**

GENESEE COUNTY ANIMAL SHELTER
3841 W MAIN ST ROAD
BATAVIA NY 14020

Inspector #: **56**

These are the findings of an inspection of your facility on the date(s) indicated above:

A. Standards of Care

1. Shelter is structurally sound Yes

2. Housing area and equipment is sanitized regularly No

The Adoptable Dog Room has cobwebs attached to the top bars of some dog runs. DCO Taylor could not recall the last time the room was sanitized top to bottom. The Stray Dog Room has a dog run (closest to laundry room) where fecal matter has accumulated on the floor in a space between the back wall and the back chain link panel. The Feed/dishwasher Room is unorganized and overstocked with bags of food that make this room unable to be sanitized. Litter pans that had been emptied but not yet cleaned and disinfected were stacked in the wash tub.

3. Repairs are done when necessary No

The Stray Dog Room has some dog runs that have sharp metal edges along the guillotine door that could cause injury to an animal. Some of the runs have front chain link doors where an animal has pushed the chain link aside creating a space where a dog may get their head trapped in.

4. Dogs are handled safely Yes

5. Adequate space is available for all dogs Yes

6. Light is sufficient for observation Yes

7. Ventilation is adequate Yes

8. Temperature extremes are avoided Yes

9. Clean food and water is available and in ample amount Yes

10. Veterinary care is provided when necessary Yes

Batavia Animal Hospital

11. Dogs are euthanized humanely, by authorized personnel Yes

Batavia Animal Hospital provides this service.

12. Outdoor shelter complies with Article 26 Not Applicable

B. Records

1. DL-18 Seizure Report is on file for all impounded dogs Yes

2. Holding period is observed before adoption or euthanasia Yes

3. All dogs are licensed before release Yes

4. Impound fee paid before dog is released Yes

5. Written contract or lease with municipality Yes

6. Bond is current, updates sent to Ag & Mkts Not Applicable

Town - City - Village Information for Inspection:

TCV CODE	TCV NAME
1808	Town of Elba
1805	Town of Bethany
1801	Town of Alabama
1802	Town of Alexander
1804	Town of Bergen
1810	Town of Oakfield
1811	Town of Pavilion
1812	Town of Pembroke
1806	Town of Byron
1807	Town of Darien
1814	City of Batavia
1803	Town of Batavia
1809	Town of Le Roy
1813	Town of Stafford

REMARKS:

Not all dog runs in the Stray Dog Room are usable due to sharp metal edges and misshapen panels that may cause injury to an animal.

The facility is composed of animal housing areas and a common food prep area that are constructed of non-porous material that allows for disinfection. Some of these areas are used to store porous materials that would absorb liquids used in the sanitation process. There was no recollection of the last time these areas were completely disinfected.

All animals in the facility appeared healthy.

REPRESENTATIVE PRESENT FOR INSPECTION: **William Taylor**
TITLE: **DCO**

REVIEWED BY: **Inspector #: 14**
REVIEWED DATE: **01/04/2011**