NEW YORK STATE DEPARTMENT OF AGRICULTURE AND MARKETS
DIVISION OF ANIMAL INDUSTRY
10B AIRLINE DRIVE, ALBANY, NY 12235

MUNICIPAL SHELTER INSPECTION REPORT - DL-90

Rating: **Satisfactory365** Purpose: **Inspection**

DATE/TOA: **1/19/11 9:15 am**

CLARENCE DOG SHELTER
6185 GOODRICH RD
CLARENCE CENTER NY 14032

Inspector #: **56**

These are the findings of an inspection of your facility on the date(s) indicated above:

A. Standards of Care

1. Shelter is structurally sound	Yes
2. Housing area and equipment is sanitized regularly	Yes
3. Repairs are done when necessary	Yes
4. Dogs are handled safely	Yes
5. Adequate space is available for all dogs	Yes
6. Light is sufficient for observation	Yes
7. Ventilation is adequate	Yes
8. Drainage is adequate	Yes
9. Temperature extremes are avoided	Yes
10. Clean food and water is available and in ample amount	Yes
11. Veterinary care is provided when necessary	Yes

Area veterinary hospitals and the Greater Buffalo Veterinary Emergency Clinic provide services.

12. Dogs are euthanized humanely, by authorized personnel	Yes

NYS Dept of Health Euthanasia Technician Certificates on file for Ann Cimato, cert #00583, exp. date 6/21/13 and Jerome Schuler, cert # 00374, exp. date 11/24/12.

13. Outdoor shelter complies with Article 26	Not Applicable

B. Records

1. Complete intake and disposition records are maintained for all seized dogs	Yes
2. Dogs transferred for purposes of adoption go to approved facilities only	Yes

This is a new provision in the law that was discussed.

3. Holding period is observed before adoption or euthanasia	Yes
4. Redeemed dogs are licensed before release	Yes
5. Impound fees paid before dogs are released	Yes
6. Impound fees in addition to state mandated fees are set by local law or ordinance	Yes
7. Written contract or lease with municipality	Yes

Has a contract with the Town of Tonawanda.

Town - City - Village Information for Inspection:

TCV CODE	TCV NAME
1407	Town of Clarence
1423	Town of Tonawanda

REMARKS:

All is in good order.

REPRESENTATIVE PRESENT FOR INSPECTION: **Jerry Schuler**
TITLE: **DCO**

REVIEWED BY: **Inspector #: 14**
REVIEWED DATE: **01/19/2011**