

MUNICIPAL SHELTER INSPECTION REPORT - DL-90

Rating: **Unsatisfactory30**

Purpose: **Inspection**

DATE/TOA: **3/5/18 1:00 pm**

**FINGER LAKES SPCA
 41 YORK ST
 AUBURN NY 13021**

Inspector #: **070**

Inspector #: **64**

These are the findings of an inspection of your facility on the date(s) indicated above:

- | | |
|---|-----|
| 1. Shelter is structurally sound | Yes |
| 2. Housing area and equipment is sanitized regularly | Yes |
| 3. Repairs are done when necessary | No |
| <i>Large seam/crack in 1 cage, minor cracks around run door in multiple cages</i> | |
| 4. Dogs are handled safely | Yes |
| 5. Adequate space is available for all dogs | Yes |
| 6. Light is sufficient for observation | Yes |
| 7. Ventilation is adequate | Yes |
| 8. Drainage is adequate | Yes |
| 9. Temperature extremes are avoided | Yes |
| 10. Clean food and water is available and in ample amount | Yes |
| 11. Veterinary care is provided when necessary | Yes |
| 12. Dogs are euthanized humanely, by authorized personnel | Yes |
| 13. Complete intake and disposition records are maintained for all seized dogs | No |
| <i>Missing license and fee paid information on 2 dogs</i> | |
| 14. Dogs transferred for purposes of adoption in compliance with Article 7 | Yes |
| 15. Redemption period is observed before adoption, euthanasia or transfer | Yes |
| 16. Owners of identified dogs are properly notified | Yes |
| 17. Redeemed dogs are licensed before release | No |
| <i>2 dogs were redeemed without proof of current licensure</i> | |
| 18. Proper impoundment fees paid before dogs are released | No |
| <i>2 dogs were redeemed without proper fees paid</i> | |
| 19. Written contract or lease with municipality | Yes |

Town - City - Village Information for Inspection:

TCV CODE	TCV NAME
3116	Town of Skaneateles
0521	Town of Throop

REMARKS:

Two dogs were redeemed without proper fees paid to Town of Skaneateles and proof of licensure. Although repairs have been made since previous inspection, one kennel has a deep, large seam/crack and multiple kennels have minor cracks around the outdoor run doors that make proper disinfection difficult.

This report is a corrected re-submission of inspection mistakenly dated for 3/6/2017.

REPRESENTATIVE PRESENT FOR INSPECTION: Carol Russel
TITLE: Excutive Director

REVIEWED BY: Inspector #: 14
REVIEWED DATE: 03/14/2018