

MUNICIPAL SHELTER INSPECTION REPORT - DL-90Rating: **Satisfactory365**Purpose: **Inspection**DATE/TOA: **6/12/18 11:30 am****HEART OF THE CATSKILLS HS
46610 ST HWY 10
DELHI NY 13753**Inspector #: **54**

These are the findings of an inspection of your facility on the date(s) indicated above:

- | | |
|--|----------------|
| 1. Shelter is structurally sound | Yes |
| 2. Housing area and equipment is sanitized regularly | Yes |
| 3. Repairs are done when necessary | Yes |
| 4. Dogs are handled safely | Yes |
| 5. Adequate space is available for all dogs | Yes |
| 6. Light is sufficient for observation | Yes |
| 7. Ventilation is adequate | Yes |
| 8. Drainage is adequate | Yes |
| 9. Temperature extremes are avoided | Yes |
| 10. Clean food and water is available and in ample amount | Yes |
| 11. Veterinary care is provided when necessary | Yes |
| 12. Dogs are euthanized humanely, by authorized personnel | Yes |
| 13. Complete intake and disposition records are maintained for all seized dogs | Yes |
| 14. Dogs transferred for purposes of adoption in compliance with Article 7 | Yes |
| 15. Redemption period is observed before adoption, euthanasia or transfer | Yes |
| 16. Owners of identified dogs are properly notified | Not Applicable |
| 17. Redeemed dogs are licensed before release | Yes |
| 18. Proper impoundment fees paid before dogs are released | Yes |
| 19. Written contract or lease with municipality | Yes |

Town - City - Village Information for Inspection:

TCV CODE	TCV NAME
1205	Town of Delhi
1201	Town of Andes
1202	Town of Bovina
1203	Town of Colchester
1204	Town of Davenport
1208	Town of Hamden
1209	Town of Hancock
1210	Town of Harpersfield
1211	Town of Kortright
1213	Town of Meredith
1214	Town of Middletown
1215	Town of Roxbury
1217	Town of Stamford
1218	Town of Tompkins
1219	Town of Walton
1908	Town of Halcott

REMARKS:

N/A=handled by DCO

REPRESENTATIVE PRESENT FOR INSPECTION:
TITLE: **Director of shelter operations**

Deb Crute

REVIEWED BY: **Inspector #: 50**
REVIEWED DATE: **06/12/2018**