

MUNICIPAL SHELTER INSPECTION REPORT - DL-90

Rating: **Satisfactory365**Purpose: **Inspection**DATE/TOA: **12/3/18 11:30 am**

**WILLIAMSTOWN DOG SHELTER
 2916 COUNTY RTE 17
 WILLIAMSTOWN NY 13493**

Inspector #: **50**

These are the findings of an inspection of your facility on the date(s) indicated above:

1. Shelter is structurally sound	Yes
2. Housing area and equipment is sanitized regularly	Yes
3. Repairs are done when necessary	Not Applicable
4. Dogs are handled safely	Yes
5. Adequate space is available for all dogs	Not Applicable
6. Light is sufficient for observation	Not Applicable
7. Ventilation is adequate	Not Applicable
8. Drainage is adequate	Not Applicable
9. Temperature extremes are avoided	Not Applicable
10. Clean food and water is available and in ample amount	Not Applicable
11. Veterinary care is provided when necessary	Not Applicable
12. Dogs are euthanized humanely, by authorized personnel	Not Applicable
13. Complete intake and disposition records are maintained for all seized dogs	Not Applicable
14. Dogs transferred for purposes of adoption in compliance with Article 7	Not Applicable
15. Redemption period is observed before adoption, euthanasia or transfer	Not Applicable
16. Owners of identified dogs are properly notified	Not Applicable
17. Redeemed dogs are licensed before release	Not Applicable
18. Proper impoundment fees paid before dogs are released	Not Applicable
19. Written contract or lease with municipality	Not Applicable

Town owned shelter. Town of Amboy must contract with Town of Williamson for use of the shelter.

Town - City - Village Information for Inspection:

TCV CODE	TCV NAME
3502	Town of Amboy
3522	Town of Williamstown

REMARKS:

N/A These items were inspected on 11/1/2018 and found satisfactory. DCO is now using his personal vehicle to transport seized dogs. Sent me photos of correct disinfectant next to the newly painted kennels.

REPRESENTATIVE PRESENT FOR INSPECTION: **Clayton Conover III**
 TITLE: **DCO**

REVIEWED BY: **Inspector #: 833**
 REVIEWED DATE: **12/05/2018**