

MUNICIPAL SHELTER INSPECTION REPORT - DL-90

Rating: **Satisfactory60**

Purpose: **Inspection**

DATE/TOA: **1/9/19 11:45 am**

**CITY OF SCHENECTADY DOG SHELTER
 WATER POLLUTION CONTROL PLANT
 300 ANTHONY STREET
 SCHENECTADY NY 12308**

Inspector #: **58**

These are the findings of an inspection of your facility on the date(s) indicated above:

- | | |
|---|----------------|
| 1. Shelter is structurally sound | Yes |
| 2. Housing area and equipment is sanitized regularly | Yes |
| 3. Repairs are done when necessary | Yes |
| 4. Dogs are handled safely | Yes |
| 5. Adequate space is available for all dogs | Yes |
| 6. Light is sufficient for observation | Yes |
| 7. Ventilation is adequate | Yes |
| 8. Drainage is adequate | Yes |
| 9. Temperature extremes are avoided | Yes |
| 10. Clean food and water is available and in ample amount | Yes |
| 11. Veterinary care is provided when necessary | Yes |
| 12. Dogs are euthanized humanely, by authorized personnel | Not Applicable |
| 13. Complete intake and disposition records are maintained for all seized dogs | Yes |
| 14. Dogs transferred for purposes of adoption in compliance with Article 7 | Yes |
| 15. Redemption period is observed before adoption, euthanasia or transfer | Yes |
| 16. Owners of identified dogs are properly notified | Not Applicable |
| 17. Redeemed dogs are licensed before release | Yes |
| 18. Proper impoundment fees paid before dogs are released | Yes |
| 19. Written contract or lease with municipality | Yes |

Shelter is owned and operated by the City of Schenectady

Town - City - Village Information for Inspection:

TCV CODE	TCV NAME
4205	Town of Rotterdam
4206	City of Schenectady

REMARKS:

The chain link on the front doors of kennel # 1 & 5 are in need of reinforcement. While there are no holes or sharp edges the chain link is becoming weakened due to dogs jumping on the front doors and pushing the chain link out.

Lt. Macherone was also present for inspection

N/A = Handled by ACO

REPRESENTATIVE PRESENT FOR INSPECTION:
TITLE: ACOS

**Patty Perez and Dan
Hildreth**

REVIEWED BY: Inspector #: 50
REVIEWED DATE: 01/10/2019