NEW YORK STATE DEPARTMENT OF AGRICULTURE AND MARKETS
DIVISION OF ANIMAL INDUSTRY
10B AIRLINE DRIVE, ALBANY, NY 12235

MUNICIPAL SHELTER INSPECTION REPORT - DL-90

Rating: **Pending** Purpose: **Inspection**

DATE/TOA: **2/11/20 1:00 pm**

LISLE DOG SHELTER
9256 NYS RT 79
LISLE NY 13797

Inspector #: **070**

These are the findings of an inspection of your facility on the date(s) indicated above:

1. Shelter is structurally sound	Not Applicable
2. Housing area and equipment is sanitized regularly	Not Applicable
3. Repairs are done when necessary	Not Applicable
4. Dogs are handled safely	Not Applicable
5. Adequate space is available for all dogs	Not Applicable
6. Light is sufficient for observation	Not Applicable
7. Ventilation is adequate	Not Applicable
8. Drainage is adequate	Not Applicable
9. Temperature extremes are avoided	Not Applicable
10. Clean food and water is available and in ample amount	Not Applicable
11. Veterinary care is provided when necessary	Not Applicable
12. Dogs are euthanized humanely, by authorized personnel	Not Applicable
13. Complete intake and disposition records are maintained for all seized dogs	Not Applicable
14. Dogs transferred for purposes of adoption in compliance with Article 7	Not Applicable
15. Redemption period is observed before adoption, euthanasia or transfer	Not Applicable
16. Owners of identified dogs are properly notified	Not Applicable
17. Redeemed dogs are licensed before release	Not Applicable
18. Proper impoundment fees paid before dogs are released	Not Applicable
19. Written contract or lease with municipality	Not Applicable

Town - City - Village Information for Inspection:

TCV CODE	TCV NAME
0309	Town of Lisle

REMARKS:

Attempted inspection. Light in shelter was on with a radio playing. Unable to see if a dog was present or not. Message left for DCO via phone and via text. DCO replied via text a few minutes later that she was out of town at that time and unable to do an inspection. DCO stated she would be available the rest of the week. Inspector verified that anytime after 10am was still the best time of day with DCO. Will try again later this week.

REPRESENTATIVE PRESENT FOR INSPECTION: **N/A**
TITLE: **N/A**

REVIEWED BY: **Inspector #: 64**
REVIEWED DATE: **02/18/2020**