

MUNICIPAL SHELTER INSPECTION REPORT - DL-90

Rating: **Satisfactory365**Purpose: **Inspection**DATE/TOA: **11/18/20 2:30 pm**

**MASSENA HUMANE SOCIETY
 177 S. RACQUETTE RIVER ROAD
 MASSENA NY 13662**

Inspector #: **65**

These are the findings of an inspection of your facility on the date(s) indicated above:

- | | |
|---|----------------|
| 1. Shelter is structurally sound | Yes |
| 2. Housing area and equipment is sanitized regularly | Yes |
| 3. Repairs are done when necessary | Yes |
| 4. Dogs are handled safely | Yes |
| 5. Adequate space is available for all dogs | Yes |
| 6. Light is sufficient for observation | Yes |
| 7. Ventilation is adequate | Yes |
| 8. Drainage is adequate | Yes |
| 9. Temperature extremes are avoided | Yes |
| 10. Clean food and water is available and in ample amount | Yes |
| 11. Veterinary care is provided when necessary | Yes |
| 12. Dogs are euthanized humanely, by authorized personnel | Yes |
| 13. Complete intake and disposition records are maintained for all seized dogs | Yes |
| 14. Dogs transferred for purposes of adoption in compliance with Article 7 | Yes |
| 15. Redemption period is observed before adoption, euthanasia or transfer | Yes |
| 16. Owners of identified dogs are properly notified | Not Applicable |
| <i>DCOs are responsible for owner notification</i> | |
| 17. Redeemed dogs are licensed before release | Yes |
| 18. Proper impoundment fees paid before dogs are released | Yes |
| 19. Written contract or lease with municipality | Yes |

Town - City - Village Information for Inspection:

<u>TCV CODE</u>	<u>TCV NAME</u>
1610	Town of Dickinson
4017	Town of Louisville
4020	Town of Massena
4022	Town of Norfolk
1605	Town of Brandon

REMARKS:

Some of the outer isolation kennel doors are being repaired and rusty spots painted. Signs have been posted to ensure that they aren't used until the repairs have been completed.

REPRESENTATIVE PRESENT FOR INSPECTION: **Melanie Griffon**
TITLE: **Employee**

REVIEWED BY: **Inspector #: 50**
REVIEWED DATE: **12/02/2020**