

MUNICIPAL SHELTER INSPECTION REPORT - DL-90

Rating: **Unsatisfactory30**

Purpose: **Inspection**

DATE/TOA: **2/19/20 10:00 am**

**SOUTH SALEM ANIMAL HOSPITAL
 1310 RT 35
 SOUTH SALEM NY 10590**

Inspector #: **61**

These are the findings of an inspection of your facility on the date(s) indicated above:

| | |
|---|----------------|
| 1. Shelter is structurally sound | Not Applicable |
| 2. Housing area and equipment is sanitized regularly | Not Applicable |
| 3. Repairs are done when necessary | Not Applicable |
| 4. Dogs are handled safely | Not Applicable |
| 5. Adequate space is available for all dogs | Not Applicable |
| 6. Light is sufficient for observation | Not Applicable |
| 7. Ventilation is adequate | Not Applicable |
| 8. Drainage is adequate | Not Applicable |
| 9. Temperature extremes are avoided | Not Applicable |
| 10. Clean food and water is available and in ample amount | Not Applicable |
| 11. Veterinary care is provided when necessary | Not Applicable |
| 12. Dogs are euthanized humanely, by authorized personnel | Not Applicable |
| 13. Complete intake and disposition records are maintained for all seized dogs | Not Applicable |
| 14. Dogs transferred for purposes of adoption in compliance with Article 7 | Not Applicable |
| 15. Redemption period is observed before adoption, euthanasia or transfer | Not Applicable |
| 16. Owners of identified dogs are properly notified | Not Applicable |
| 17. Redeemed dogs are licensed before release | Not Applicable |
| 18. Proper impoundment fees paid before dogs are released | Not Applicable |
| 19. Written contract or lease with municipality | No |

The towns of Somers and Pound Ridge need current written contract.

Town - City - Village Information for Inspection:

| <u>TCV CODE</u> | <u>TCV NAME</u> |
|-----------------|---------------------|
| 5534 | Town of Mount Kisco |
| 5511 | Town of North Salem |
| 5515 | Town of Somers |
| 5506 | Town of Lewisboro |
| 5513 | Town of Pound Ridge |

REMARKS:

The towns of Mount Kisco, Lewisboro, and North Salem are considered compliant and please disregard this inspection report. This premise location has not been physically inspected at this time. THE TOWNS OF SOMERS AND POUND RIDGE ARE CONSIDERED NON-COMPLIANT.

REPRESENTATIVE PRESENT FOR INSPECTION: **N/A**
TITLE: **N/A**

REVIEWED BY: **Inspector #: 18**
REVIEWED DATE: **02/19/2021**