NEW YORK STATE DEPARTMENT OF AGRICULTURE AND MARKETS DIVISION OF ANIMAL INDUSTRY 10B AIRLINE DRIVE, ALBANY, NY 12235

MUNICIPAL SHELTER INSPECTION REPORT - DL-90

Rating: Satisfactory182

Purpose: Inspection

DATE/TOA: 5/23/11 3:00 pm DATE/TOA: 6/17/11 11:30 am

Inspector #:

CANISTEO MUNICIPAL SHELTER 67 DEPOT ST. CANISTEO NY 14823

A. Standards of Care 1. Shelter is structurally sound Yes 1. Nousing area and equipment is sanitized regularly Yes 2. Housing area and equipment is sanitized regularly Yes 3. Repairs are done when necessary Yes 4. Dogs are handled safely Yes 5. Adequate space is available for all dogs No Two of the kennels had two dogs in them. One pair seemed to be of the same breed and type, but not the other. However, they may have been picked up in pairs and housed that way. Yes 6. Light is sufficient for observation Yes 7. Ventilation is adequate No There is a strong "doggie odor" in the kennel. This has not changed although an effort was made to improve the ventilation. It is my opinion that the odor has probably been absorbed into the concrete. Yes 9. Temperature extremes are avoided Yes 9. Temperature extremes are avoided Yes 10. Clean food and water is available and in ample amount Yes
2. Housing area and equipment is sanitized regularlyYes3. Repairs are done when necessaryYes4. Dogs are handled safelyYes5. Adequate space is available for all dogsNoTwo of the kennels had two dogs in them. One pair seemed to be of the sameHowever, they may have been picked up in pairs and housed that way.Yes6. Light is sufficient for observationYes7. Ventilation is adequateNoThere is a strong "doggie odor" in the kennel. This has not changed although an effort was made to improve the ventilation. It is my opinion that the odor has probably been absorbed into the concret.8. Drainage is adequateYes9. Temperature extremes are avoidedYes
3. Repairs are done when necessary Yes 4. Dogs are handled safely Yes 5. Adequate space is available for all dogs No Two of the kennels had two dogs in them. One pair seemed to be of the same breed and type, but not the other. However, they may have been picked up in pairs and housed that way. Yes 6. Light is sufficient for observation Yes 7. Ventilation is adequate No There is a strong "doggie odor" in the kennel. This has not changed although an effort was made to improve the ventilation. It is my opinion that the odor has probably been absorbed into the concrete. 8. Drainage is adequate Yes 9. Temperature extremes are avoided Yes
4. Dogs are handled safely Yes 5. Adequate space is available for all dogs No 5. Adequate space is available for all dogs No Two of the kennels had two dogs in them. One pair seemed to be of the same breed and type, but not the other. However, they may have been picked up in pairs and housed that way. Yes 6. Light is sufficient for observation Yes 7. Ventilation is adequate No There is a strong "doggie odor" in the kennel. This has not changed although an effort was made to improve the ventilation. It is my opinion that the odor has probably been absorbed into the concrete. Yes 8. Drainage is adequate Yes 9. Temperature extremes are avoided Yes
5. Adequate space is available for all dogs No 5. Adequate space is available for all dogs No Two of the kennels had two dogs in them. One pair seemed to be of the same breed and type, but not the other. However, they may have been picked up in pairs and housed that way. Yes 6. Light is sufficient for observation Yes 7. Ventilation is adequate No There is a strong "doggie odor" in the kennel. This has not changed although an effort was made to improve the ventilation. It is my opinion that the odor has probably been absorbed into the concrete. 8. Drainage is adequate Yes 9. Temperature extremes are avoided Yes
Two of the kennels had two dogs in them. One pair seemed to be of the same breed and type, but not the other. However, they may have been picked up in pairs and housed that way. 6. Light is sufficient for observation Yes 7. Ventilation is adequate No There is a strong "doggie odor" in the kennel. This has not changed although an effort was made to improve the ventilation. It is my opinion that the odor has probably been absorbed into the concrete. 8. Drainage is adequate Yes 9. Temperature extremes are avoided Yes
However, they may have been picked up in pairs and housed that way. 6. Light is sufficient for observation Yes 7. Ventilation is adequate No There is a strong "doggie odor" in the kennel. This has not changed although an effort was made to improve the ventilation. It is my opinion that the odor has probably been absorbed into the concrete. 8. Drainage is adequate Yes 9. Temperature extremes are avoided Yes
7. Ventilation is adequate No There is a strong "doggie odor" in the kennel. This has not changed although an effort was made to improve the ventilation. It is my opinion that the odor has probably been absorbed into the concrete. 8. Drainage is adequate Yes 9. Temperature extremes are avoided Yes
There is a strong "doggie odor" in the kennel. This has not changed although an effort was made to improve the ventilation. It is my opinion that the odor has probably been absorbed into the concrete. 8. Drainage is adequate Yes 9. Temperature extremes are avoided Yes
ventilation. It is my opinion that the odor has probably been absorbed into the concrete. 8. Drainage is adequate Yes 9. Temperature extremes are avoided Yes
9. Temperature extremes are avoided Yes
10. Clean food and water is available and in ample amount Yes
11. Veterinary care is provided when necessary Yes
12. Dogs are euthanized humanely, by authorized personnel Yes
13. Outdoor shelter complies with Article 26Yes
Outdoor shelter does not seem to be used at all. There is no evidence of feces in the outdoor runs.
B. Records
1. Complete intake and disposition records are maintained for all seized dogs Yes
2. Dogs transferred for purposes of adoption go to approved facilities only Yes
3. Holding period is observed before adoption or euthanasia Yes
4. Redeemed dogs are licensed before release Not Applicable
No dogs were redeemed during this inspection period. 5. Impound fees paid before dogs are released Not Applicable
6. Impound fees in addition to state mandated fees are set by local law or Yes ordinance
7. Written contract or lease with municipality Not Applicable

DL-90

809

Town - City - Village Information for Inspection:

TCV CODE	TCV NAME	

4607

Town of Canisteo

REMARKS:

An unannounced inspection was done of the Canisteo Shelter. All of the cages were full and there were two dogs in each of two of the cages. Food and water was available and the runs were likely cleaned recently. There were a few piles of fresh feces in two of the pens. The dog doors were not open so the dogs could not go outside. There is still a very strong "doggie odor" in the kennel.

I met with shelter manager Gary Hadsell on 6/17/2011 and went over his paperwork which was in order. He said that the dog doors are not left open because children from town harass the dogs and throw rocks at them when they are in their outside runs. Fencing will be erected to alleviate this situation.

 REPRESENTATIVE PRESENT FOR INSPECTION:
 Gary Hadsell
 REVIEWED BY:

 TITLE:
 shelter manager
 REVIEWED DATE:
 06/22/2011