NEW YORK STATE DEPARTMENT OF AGRICULTURE AND MARKETS
DIVISION OF ANIMAL INDUSTRY
10B AIRLINE DRIVE, ALBANY, NY 12235

MUNICIPAL SHELTER INSPECTION REPORT - DL-90

Rating: **Unsatisfactory30** Purpose: **Inspection**

DATE/TOA: **4/20/21 11:25 am**

TOWN OF OWEGO DOG SHELTER
398 TAYLOR RD
OWEGO NY 13827

Inspector #: **847**

These are the findings of an inspection of your facility on the date(s) indicated above:

1. Shelter is structurally sound	Yes
2. Housing area and equipment is sanitized regularly	No
Three kennels were not cleaned or disinfected at time of inspection.	
3. Repairs are done when necessary	Yes
4. Dogs are handled safely	Yes
5. Adequate space is available for all dogs	Yes
6. Light is sufficient for observation	Yes
7. Ventilation is adequate	Yes
8. Drainage is adequate	Yes
9. Temperature extremes are avoided	Yes
10. Clean food and water is available and in ample amount	Yes
11. Veterinary care is provided when necessary	Yes
12. Dogs are euthanized humanely, by authorized personnel	Yes
13. Complete intake and disposition records are maintained for all seized dogs	Yes
14. Dogs transferred for purposes of adoption in compliance with Article 7	Yes
15. Redemption period is observed before adoption, euthanasia or transfer	Yes
16. Owners of identified dogs are properly notified	Yes
17. Redeemed dogs are licensed before release	Yes
18. Proper impoundment fees paid before dogs are released	Yes
19. Written contract or lease with municipality	Not Applicable
Municipality owns shelter.	

Town - City - Village Information for Inspection:

TCV CODE	TCV NAME
4906	Town of Owego

REMARKS:

A mistake was made on one record, discussed importance of record accuracy. Discussed with DCO that kennels should be kept cleaned and disinfected and ready for dogs to come in. Three cages were not cleaned and ready for new dogs. Lastly, discussed the importance of using the dog boxes instead of the front of the vehicle for transporting dogs. DCO understands that parvovirus, and other diseases can be transmitted from dog to dog and the seat of the vehicle is not disinfectable. This coupled with safety of the DCO can be a liability. Finally, discussed keeping up on maintenance on flooring since paint is chipping, exposing concrete that is not disinfectable.

REPRESENTATIVE PRESENT FOR INSPECTION: **Kyle Fleming**
TITLE: **DCO**

REVIEWED BY: **Inspector #: 64**
REVIEWED DATE: **05/06/2021**