

MUNICIPAL SHELTER INSPECTION REPORT - DL-90

Rating: **Satisfactory365**

Purpose: **Inspection**

DATE/TOA: **8/12/21 12:30 pm**

**RHINEBECK DOG SHELTER
 80 EAST MARKET ST.
 RHINEBECK NY 12572**

Inspector #: **61**

These are the findings of an inspection of your facility on the date(s) indicated above:

1. Shelter is structurally sound	Not Applicable
2. Housing area and equipment is sanitized regularly	Not Applicable
3. Repairs are done when necessary	Not Applicable
4. Dogs are handled safely	Not Applicable
5. Adequate space is available for all dogs	Not Applicable
6. Light is sufficient for observation	Not Applicable
7. Ventilation is adequate	Not Applicable
8. Drainage is adequate	Not Applicable
9. Temperature extremes are avoided	Not Applicable
10. Clean food and water is available and in ample amount	Not Applicable
11. Veterinary care is provided when necessary	Not Applicable
12. Dogs are euthanized humanely, by authorized personnel	Not Applicable
13. Complete intake and disposition records are maintained for all seized dogs	Yes
14. Dogs transferred for purposes of adoption in compliance with Article 7	Not Applicable
<i>DCO handles</i>	
15. Redemption period is observed before adoption, euthanasia or transfer	Not Applicable
<i>DCO handles</i>	
16. Owners of identified dogs are properly notified	Not Applicable
<i>DCO handles</i>	
17. Redeemed dogs are licensed before release	Not Applicable
<i>DCO and town clerk handle</i>	
18. Proper impoundment fees paid before dogs are released	Not Applicable
<i>DCO and town clerk handle</i>	
19. Written contract or lease with municipality	Not Applicable

Town - City - Village Information for Inspection:

<u>TCV CODE</u>	<u>TCV NAME</u>
1316	Town of Rhinebeck

REMARKS:

The shelter was physically inspected and it was found to be compliant on 7/21/21.

REPRESENTATIVE PRESENT FOR INSPECTION: **Jon Gautier**
TITLE: **Town clerk**

REVIEWED BY: **Inspector #: 833**
REVIEWED DATE: **08/13/2021**