NEW YORK STATE DEPARTMENT OF AGRICULTURE AND MARKETS
DIVISION OF ANIMAL INDUSTRY
10B AIRLINE DRIVE, ALBANY, NY 12235

MUNICIPAL SHELTER INSPECTION REPORT - DL-90

Rating: **Satisfactory182** Purpose: **Complaint Inspection**

DATE/TOA: **7/28/11 11:15 am**

HEMPSTEAD ANIMAL SHELTER
3320 BELTAGH AVENUE
WANTAGH NY 11793

Inspector #: **51**

These are the findings of an inspection of your facility on the date(s) indicated above:

A. Standards of Care

1. Shelter is structurally sound	Yes
2. Housing area and equipment is sanitized regularly	Yes
3. Repairs are done when necessary	Yes
4. Dogs are handled safely	Yes
5. Adequate space is available for all dogs	Yes
6. Light is sufficient for observation	Yes
7. Ventilation is adequate	Yes
8. Drainage is adequate	Yes
9. Temperature extremes are avoided	Yes
10. Clean food and water is available and in ample amount	Yes
11. Veterinary care is provided when necessary	Yes
12. Dogs are euthanized humanely, by authorized personnel	Yes
13. Outdoor shelter complies with Article 26	Yes

B. Records

1. Complete intake and disposition records are maintained for all seized dogs	Yes
2. Dogs transferred for purposes of adoption go to approved facilities only	Yes
3. Holding period is observed before adoption or euthanasia	Yes
4. Redeemed dogs are licensed before release	Yes
5. Impound fees paid before dogs are released	Yes
6. Impound fees in addition to state mandated fees are set by local law or ordinance	Yes
7. Written contract or lease with municipality	Yes

Town - City - Village Information for Inspection:

TCV CODE	TCV NAME
2801	Town of Hempstead
2813	Village of Floral Park
2806	Village of Atlantic Beach
2808	Village of Bellerose
2809	Village of Cedarhurst
2814	Village of Freeport
2815	Village of Garden City
2816	Village of Hempstead
2818	Village of Hewlett Harbor
2819	Village of Hewlett Neck
2820	Village of Island Park
2824	Village of Malverne
2828	Village of Rockville Centre
2830	Village of South Floral Park
2832	Village of Valley Stream

REMARKS:

The facility was clean and in good repair. The dogs and cats appeared healthy. The temperatures inside the runs were 78 degrees. They had large fans blowing in each kennel area. The assistant director stated they have a resolution is the county for central A/C in the dog kennels for sometime in the fall.

REPRESENTATIVE PRESENT FOR INSPECTION: **Cynthia Iacopella**
TITLE: **Asst. Director**

REVIEWED BY: **Inspector #: 18**
REVIEWED DATE: **07/29/2011**