

## MUNICIPAL SHELTER INSPECTION REPORT - DL-90

Rating: **Satisfactory182**

Purpose: **Complaint Inspection**

DATE/TOA: **7/28/11 11:15 am**

**HEMPSTEAD ANIMAL SHELTER  
 3320 BELTAGH AVENUE  
 WANTAGH NY 11793**

Inspector #: **51**

---

These are the findings of an inspection of your facility on the date(s) indicated above:

---

### A. Standards of Care

- |   |     |
|---|-----|
| 1. Shelter is structurally sound                          | Yes |
| 2. Housing area and equipment is sanitized regularly      | Yes |
| 3. Repairs are done when necessary                        | Yes |
| 4. Dogs are handled safely                                | Yes |
| 5. Adequate space is available for all dogs               | Yes |
| 6. Light is sufficient for observation                    | Yes |
| 7. Ventilation is adequate                                | Yes |
| 8. Drainage is adequate                                   | Yes |
| 9. Temperature extremes are avoided                       | Yes |
| 10. Clean food and water is available and in ample amount | Yes |
| 11. Veterinary care is provided when necessary            | Yes |
| 12. Dogs are euthanized humanely, by authorized personnel | Yes |
| 13. Outdoor shelter complies with Article 26              | Yes |

### B. Records

- |  |     |
|--|-----|
| 1. Complete intake and disposition records are maintained for all seized dogs        | Yes |
| 2. Dogs transferred for purposes of adoption go to approved facilities only          | Yes |
| 3. Holding period is observed before adoption or euthanasia                          | Yes |
| 4. Redeemed dogs are licensed before release   | Yes |
| 5. Impound fees paid before dogs are released  | Yes |
| 6. Impound fees in addition to state mandated fees are set by local law or ordinance | Yes |
| 7. Written contract or lease with municipality                                       | Yes |

## Town - City - Village Information for Inspection:

<b>TCV CODE</b>	<b>TCV NAME</b>
2801	Town of Hempstead
2813	Village of Floral Park
2806	Village of Atlantic Beach
2808	Village of Bellerose
2809	Village of Cedarhurst
2814	Village of Freeport
2815	Village of Garden City
2816	Village of Hempstead
2818	Village of Hewlett Harbor
2819	Village of Hewlett Neck
2820	Village of Island Park
2824	Village of Malverne
2828	Village of Rockville Centre
2830	Village of South Floral Park
2832	Village of Valley Stream

## REMARKS:

The facility was clean and in good repair. The dogs and cats appeared healthy. The temperatures inside the runs were 78 degrees. They had large fans blowing in each kennel area. The assistant director stated they have a resolution is the county for central A/C in the dog kennels for sometime in the fall.

REPRESENTATIVE PRESENT FOR INSPECTION: **Cynthia Iacopella**  
TITLE: **Asst. Director**

REVIEWED BY: **Inspector #: 18**  
REVIEWED DATE: **07/29/2011**