NEW YORK STATE DEPARTMENT OF AGRICULTURE AND MARKETS
DIVISION OF ANIMAL INDUSTRY
10B AIRLINE DRIVE, ALBANY, NY 12235

MUNICIPAL SHELTER INSPECTION REPORT - DL-90

Rating: **Unsatisfactory30** Purpose: **Inspection**

DATE/TOA: **12/14/21 9:30 am**

Coeymans Shelter
Douglas Kyer, Chief of Police
WATER TREATMENT PLANT
28 SOUTH MAIN STREET
COEYMANS NY 12045

Inspector #: **58**

These are the findings of an inspection of your facility on the date(s) indicated above:

1. Shelter is structurally sound	Yes
2. Housing area and equipment is sanitized regularly	No
Kennels housing seized dogs have not been cleaned or sanitized since previous use	
3. Repairs are done when necessary	No
Repairs have not been done when necessary. Door on kennel #1 has a broken hinge and does not close properly	
4. Dogs are handled safely	Yes
5. Adequate space is available for all dogs	Yes
6. Light is sufficient for observation	Yes
7. Ventilation is adequate	Yes
8. Drainage is adequate	Yes
9. Temperature extremes are avoided	Yes
10. Clean food and water is available and in ample amount	Yes
11. Veterinary care is provided when necessary	Not Applicable
12. Dogs are euthanized humanely, by authorized personnel	Not Applicable
13. Complete intake and disposition records are maintained for all seized dogs	Not Applicable
14. Dogs transferred for purposes of adoption in compliance with Article 7	Not Applicable
15. Redemption period is observed before adoption, euthanasia or transfer	Not Applicable
16. Owners of identified dogs are properly notified	Not Applicable
17. Redeemed dogs are licensed before release	Not Applicable
18. Proper impoundment fees paid before dogs are released	Not Applicable
19. Written contract or lease with municipality	Not Applicable
Shelter is owned and operated by the Town of Coeymans	

Town - City - Village Information for Inspection:

TCV CODE	TCV NAME
0103	Town of Coeymans

REMARKS:

Kennels must be cleaned and sanitized when dogs leave the shelter. Dirty blankets, bowls, and kennel surfaces were left in the kennel and not properly cleaned/sanitized after being used.

Door on kennel #1 has a broken hinge and does not close properly. This kennel must NOT be used until repairs are complete.

The shelter area is becoming overcrowded with bicycles, vehicles and miscellaneous equipment. The shelter area MUST have unrestricted access to seized dogs at all times.

N/A = Handled by DCO O'Brien-Loran

REPRESENTATIVE PRESENT FOR INSPECTION: **Meghan O'Brien-Loran**
TITLE: **DCO**

REVIEWED BY: **Inspector #: 833**
REVIEWED DATE: **12/16/2021**