

MUNICIPAL SHELTER INSPECTION REPORT - DL-90

Rating: **Satisfactory365**

Purpose: **Inspection**

DATE/TOA: **8/23/11 11:15 am**

**COUNTRY ACRES PET SERVICE
 5852 W SCOTT ROAD
 HOMER NY 13077**

Inspector #: **20**

These are the findings of an inspection of your facility on the date(s) indicated above:

A. Standards of Care

- | | |
|---|-----|
| 1. Shelter is structurally sound | Yes |
| 2. Housing area and equipment is sanitized regularly | Yes |
| 3. Repairs are done when necessary | Yes |
| 4. Dogs are handled safely | Yes |
| 5. Adequate space is available for all dogs | Yes |
| 6. Light is sufficient for observation | Yes |
| 7. Ventilation is adequate | Yes |
| 8. Drainage is adequate | Yes |
| 9. Temperature extremes are avoided | Yes |
| 10. Clean food and water is available and in ample amount | Yes |
| 11. Veterinary care is provided when necessary | Yes |
| 12. Dogs are euthanized humanely, by authorized personnel | Yes |
| 13. Outdoor shelter complies with Article 26 | Yes |

B. Records

- | | |
|--|-----|
| 1. Complete intake and disposition records are maintained for all seized dogs | Yes |
| 2. Dogs transferred for purposes of adoption go to approved facilities only | Yes |
| 3. Holding period is observed before adoption or euthanasia | Yes |
| 4. Redeemed dogs are licensed before release | Yes |
| 5. Impound fees paid before dogs are released | Yes |
| 6. Impound fees in addition to state mandated fees are set by local law or ordinance | Yes |
| 7. Written contract or lease with municipality | Yes |

Town - City - Village Information for Inspection:

TCV CODE	TCV NAME
1101	Town of Cincinnatus
1103	Town of Cuyler
5005	Town of Groton
1105	Town of Harford
1106	Town of Homer
5007	Town of Lansing
0509	Town of Locke
0512	Town of Moravia
0813	Town of Otselic
0816	Town of Pitcher
1109	Town of Preble
1110	Town of Scott
0516	Town of Sempronius
0520	Town of Summer Hill
1113	Town of Truxton
1114	Town of Virgil
1115	Town of Willet

REMARKS:

REPRESENTATIVE PRESENT FOR INSPECTION:
TITLE: **DCO**

Suzie Nalley

REVIEWED BY: **Inspector #: 14**
REVIEWED DATE: **08/25/2011**