NEW YORK STATE DEPARTMENT OF AGRICULTURE AND MARKETS DIVISION OF ANIMAL INDUSTRY 10B AIRLINE DRIVE, ALBANY, NY 12235

MUNICIPAL SHELTER INSPECTION REPORT - DL-90

Rating: Unsatisfactory30 Purpose: Inspection

DATE/TOA: 3/10/22 10:45 am

HUMANE SOCIETY OF WALDEN 2489 ALBANY POST ROAD WALDEN NY 12586 Inspector #: 67
Inspector #: 847

These are the findings of an inspection of your facility on the date(s) indicated above:

1. Shelter is structurally soundYes2. Housing area and equipment is sanitized regularlyYes3. Repairs are done when necessaryYes4. Dogs are handled safelyNo

Exterior run #3 holding short legged brown Pit Bull has rusted / eroded cross piece of run dorr. Dog's feet exposed to jagged edges that could cause injury. Many divider panels of chain link extremely rusted on many of exterior pens.

pens.	•
5. Adequate space is available for all dogs	Yes
6. Light is sufficient for observation	Yes
7. Ventilation is adequate	Yes
8. Drainage is adequate	Yes
9. Temperature extremes are avoided	Yes
10. Clean food and water is available and in ample amount	Yes
11. Veterinary care is provided when necessary	Yes
12. Dogs are euthanized humanely, by authorized personnel	Yes
13. Complete intake and disposition records are maintained for all seized dogs	Yes
14. Dogs transferred for purposes of adoption in compliance with Article 7	Yes
15. Redemption period is observed before adoption, euthanasia or transfer	Yes
16. Owners of identified dogs are properly notified	Yes
17. Redeemed dogs are licensed before release	Yes
18. Proper impoundment fees paid before dogs are released	Yes
19. Written contract or lease with municipality	No

Current contracts for the Town of Montgomery and the Town of Shawangunk not available for inspection.

DL-90 Page 2 of 2

Town - City - Village Information for Inspection:

TCV CODE	TCV NAME
3304	Town of Crawford
4811	Town of Mamakating
3312	Town of Montgomery
3303	Town of Cornwall
5117	Town of Shawangunk

REMARKS:

TITLE: shelter employee

REPRESENTATIVE PRESENT FOR INSPECTION:

Jody Botjer

REVIEWED BY: Inspector #: 833

REVIEWED DATE: 03/14/2022